

---

# THE BOOK OF PARQUET

---



**SCHEUCHER®**



Every tree that grows in our forests, every trunk, every piece of wood, and therefore every parquet tells a story and is as individual as us - it has its own unique fingerprint. This individuality and uniqueness of the material means that our work is always exciting and varied. It is my - our - passion to produce parquet flooring for your home from a naturally grown tree. I would like to invite you to immerse yourself in a history full of structure, refinement and technology.

Discover the many facets of parquet. Different specifications have led to the creation of new optics and haptics. Live more colourfully. Live more individually.

A stylized, handwritten signature in white ink, appearing to read 'Karl Scheucher'.

KR Ing. Karl Scheucher

Over  
200 employees

4 generations of passion

2016 **MULTI**flor  
NOVO**LOC**® 5G

2002 NOVO**LOC**®

# AS INDIVIDUAL AS YOU.

1996  
Start of parquet production

1920 Establishment of  
the company

20 years of parquet

2006 **BILA**flor®

2014 Elevation line

100 years of tradition



**SCHEUCHER**®

# CONTENT

FLO_R SYSTEMS .....	06-07
WOOD TYPES & GRADES .....	08-09
COLOURS .....	10-11
FINISHES & STRUCTURES.....	12-13
INSTALLATION OF 3-WIDTHS ..	14-15
<b>ELEVATION</b> .....	16-23
<b>WOODFLOR NOVOLOC® 5G</b> ....	24-45
<b>MULTIFLOR NOVOLOC® 5G</b> .....	46-65
<b>MULTIFLOR T + G</b> .....	66-73
<b>BILAFLO®</b> .....	74-87
SPORT HALL FLOORS.....	88-89
CARE INSTRUCTIONS SEDA .....	90-91
CARE INSTRUCTIONS FOR PROFESSIONALS SEDA .....	92-93
CARE INSTRUCTIONS TENSEO .....	93
ACCESSORIES .....	94-95
STAIRBOX .....	96-97





WOOD TELLS  
STORIES FROM  
ITS LIFE. FOR  
YOUR LIFE.  
PARQUET FOR  
YOUR HOME.



Different construction types and finishes. More technology. More individuality. A special range for your home. Perfectly matched. A pure feeling of home. A real feeling for living.

# FLOOR SYSTEMS



6



# WOODflor

## NOVOLOC® 5G

The **WOODflor** 3-layer parquet is the classic from Scheucher. Due to its construction, it can also be installed floating.

**Page 24–45**



# MULTIflor

## NOVOLOC® 5G



The **MULTIflor** 2-layer parquet is the most recent innovation of Scheucher parquet creations and includes 1-strips, 3-strips and chevron flooring. The world exclusive chevron flooring can be installed using NOVOLOC® 5G interlocking system. It's also ideally suited for underfloor heating.

**Page 46–65**



7

# MULTIflor

## TONGUE+GROOVE



With **MULTIflor TONGUE + GROOVE** 2-layer-parquet you can now give an even more individual touch to your living space. Impresses with individuality as well as timeless installation patterns.

**Page 66–73**



# BILAflor®



The **BILAflor**® 2-layer parquet – combines the advantages of a glue-down parquet with those of engineered parquet.

**Page 74–87**

# WOODTYPES

OAK  
OAK SMOKED  
OAK SMOKED MEDIUM  
OAK STEAMED  
OLD OAK

BLACK WALNUT  
HARD MAPLE  
ASH  
BEECH STEAMED

BLACK CHERRY  
CHERRY EUROPEAN STEAMED  
IROKO (KAMBALA)  
MERBAU  
RED OAK

Different types of wood mean that we have something to suit every taste and personal style. From light maple parquet to dark, smoked oak wood. Individual nuances make individual living dreams come true.

## TYPES LIVE.



8

Grown in quiet in the forest.  
As individual as nature.  
As individual as you.

**SELECT.** Haven of peace. Uniform and subtle in terms of colour and growth, this sort is a convincing choice. Small knot points are possible and enliven the overall look.

**NATUR. CLASSIC.** Pure nature. A natural growth in combination with natural colour variations and small, visible knots.

**KNOTTY.** Joie de vivre. Splinter free, natural, and thanks to the many visible knots, this sort ensures tangible joie de vivre.

**COUNTRY.\* RUSTIKAL.  
STRUKTUR. EFFECT.**

Powerful moments. Vibrant, lively and powerful colour nuances, as well as possible knots create a new spirited feeling in the home.



## GRADES

SELECT  
NATUR  
CLASSIC  
KNOTTY  
COUNTRY\*  
RUSTIKAL  
STRUKTUR  
EFFECT

\* available in 1-strip oak, sap free



Nature puts on a show. Exciting colours.  
Bold textures. Spirited styling. Sustainable.  
Lasting. Durable. Green.

# TYPES OF WOOD.







NATURA  
all wood types



PERLA  
Ash | Oak | Oak smoked  
Oak smoked medium  
Black walnut



BIANCA  
Ash | Oak



SILVA  
Ash | Oak | Black walnut



JURA  
Old oak



AKZENT  
Oak



10

## COLOURS

NATURA  
PERLA  
BIANCA  
SILVA  
JURA  
AKZENT

Scheucher takes selected types of woods and gently treats them with high-quality colours, in order to give the starting material the perfect colour finish in line with the customer's wishes. Discover the colour variants listed for each type of wood, which will allow you to create a refined living area far

from the mainstream, and experience the amazing diversity on offer, with a range of hundreds of colour and wood combinations available.


TREND  
COLLECTION

## ELEVATION

Trend colours. Trend parquet.  
The Elevation range surprises with  
modern colours and careful refinements.  
Discover the complete range on  
**page 18–23**

# PLAY OF COLOURS.

Colours play in the space. Colours  
laugh out loud in various nuances.  
Colours are brought to life by their  
variety. A limitless spectrum.



11





# REFINED SURFACES.

Dynamic structures are created. Satin elegance or shining sophistication.

## FINISHED

SEDA natural matt, oiled and waxed  
TENSEO CLASSICO satin glossy, sealed  
TENSEO MATT natural matt, sealed



**SEDA** Your parquet is treated with natural oils and waxes according to century-old traditions to retain its original lustre. These floors are particularly beautiful with their silky matt surface with natural texture and intensive wood color. Open-pore surface finishes with breathable materials mean you are guaranteed a healthier interior climate and your home is enhanced by this touch of nature.

**TENSEO** This high-quality up to 7 layers consisting sealing system ensures your wooden flooring retains its natural appearance and gives a special flair to any room. The beautifully silky sheen gives the wood an exclusive look while at the same time making it resistant to damage and thereby considerably extending the life of your parquet flooring.

Selected types of parquet can be obtained from Scheucher with extraordinary surface structures. This creates a tangible and visible pattern, with an incomparable feel, making the parquet floor appear three-dimensional.

## STRUCTURE

VALLETTA natural  
VALSEGA characterful  
TOSKANA exceptional

# MOVING STRUCTURES.

Preserved natural character. Noticeably characteristic surfaces. Experience them just as they are. Feel the differences. See the differences.



**VALLETTA** lends parquet flooring a natural character and subtle roughness, as it is brushed and has a bevel.



**VALSEGA** ensures a characterful and striking surface impression. Here, the parquet surface is band-sawn and brushed.



**TOSKANA** gives you an exceptionally antique sense of touch as well as an incomparably pleasant feel of walking thanks to its slightly waved surface.

## 2-SIDED AND 4-SIDED BEVEL

For all types of wood: With the product-specific 4-sided bevel surface structure, the designated parquet elements are given bevelled edges on all four sides, which allows the structure of the individual elements in the overall arrangement to stand out pleasantly.

With the 2-sided bevel surface structure, the bevelled edges are only on the two longitudinal sides.

222

182

140




14

Combining different widths is the latest trend in parquet flooring. Scheucher presents you 1-strip products in three perfectly-aligned widths that make stylish parquet flooring creations possible.









# MY HOME. MY ISLAND.

## ELEVATION

Everyone of us keeps the precious memories of his island deeply in his soul. Even years later, when most of them already seem forgotten, these marvellous impressions still can be retrieved. Scheucher recreates the sense of life and the uniqueness of 19 European islands, to liven up these associations and special moments underneath your feet every day.



# Elevation



**KORSIKA**  
**WOOD**flor 182  
**MULTI**flor 2200 | 2400

---



**SYLT**  
**WOOD**flor 140 | 182 | 222  
**MULTI**flor 2200 | 2400

---



**KORFU**  
**WOOD**flor 140 | 182 | 222

---



**OTAVA**  
**WOOD**flor 182  
**MULTI**flor 2200 | 2400

---



**TENERIFFA**  
**WOOD**flor 182

---



**MANDØ**  
**WOOD**flor 182  
**MULTI**flor 2200

---



**LOŠINJ**  
**WOOD**flor 182

---



**LANZAROTE**  
**WOOD**flor 182 | 222  
**MULTI**flor 2200

---



**FORMENTERA**  
**WOOD**flor 182

---



**ELBA**  
**WOOD**flor 140 | 182 | 222  
**MULTI**flor 2200 | 2400



**IBIZA**  
**WOOD**flor 140 | 182 | 222  
**MULTI**flor 2200 | 2400



**KRETA**  
**WOOD**flor 140 | 182 | 222  
**MULTI**flor 2200



**GOMERA**  
**WOOD**flor 182  
**MULTI**flor 2200



**HVAR**  
**WOOD**flor 182  
**MULTI**flor 2200



**UFENAU**  
**WOOD**flor 140 | 182 | 222



**BRAC**  
**WOOD**flor 182  
**MULTI**flor 2200 | 2400



**NAXOS**  
**WOOD**flor 182  
**MULTI**flor 2200



**RÜGEN**  
**WOOD**flor 140 | 182 | 222  
**MULTI**flor 2200 | 2400

# Elevation



**SYLT**  
**WOOD**floor 182 3-strip

---



**MURANO**  
**WOOD**floor 182 3-strip

---

ELEVATION







# Elevation



**SYLT**  
**MULTI**flor 1200 | 1800



**OTAVA**  
**MULTI**flor 1200 | 1800



**MANDØ**  
**MULTI**flor 1200 | 1800



**LANZAROTE**  
**MULTI**flor 1200 | 1800



**BRAČ**  
**MULTI**flor 1200 | 1800



**RÜGEN**  
**MULTI**flor 1200 | 1800





**OTAVA**  
MULTIflor 740 45° | 500 60°



**MANDØ**  
MULTIflor 740 45° | 500 60°



**LANZAROTE**  
MULTIflor 745 45° | 500 60°



**BRAČ**  
MULTIflor 740 45° | 500 60°



**RÜGEN**  
MULTIflor 740 45° | 500 60°



MULTIflor 740 45 | ELEVATION LANZAROTE | OAK  
NOVOLOC® 5G





MORE WOOD.  
MORE FLO\_R.

**WOOD**flor  
NOVO**LOC**® 5G

# STRONG TYPES.




**WOOD**flor NOVO**LOC**® 5G 222 | 14 x 222 x 2200 mm | 6 pieces/pack = 2.930 m<sup>2</sup>, 32 packs/pallet = 93.773 m<sup>2</sup>  
Suitable for underfloor heating. **R<sub>T</sub>** = **0.101 m<sup>2</sup>K/W**




**WOOD**flor NOVO**LOC**® 5G 182 | 14 x 182 x 2200 mm | 6 pieces/pack = 2.402 m<sup>2</sup>, 40 packs/pallet = 96.080 m<sup>2</sup>  
Suitable for underfloor heating. **R<sub>T</sub>** = **0.101 m<sup>2</sup>K/W**



**WOOD**flor NOVO**LOC**® 5G 140 | 14 x 140 x 2200 mm | 6 pieces/pack = 1.848 m<sup>2</sup>, 56 packs/pallet = 103.488 m<sup>2</sup>  
Suitable for underfloor heating. **R<sub>T</sub>** = **0.101 m<sup>2</sup>K/W**



**WOOD**flor NOVO**LOC**® 5G 182 3-strip | 14 x 182 x 2200 mm | 6 pieces/pack = 2.402 m<sup>2</sup>, 40 packs/pallet = 96.080 m<sup>2</sup>  
Suitable for underfloor heating. **R<sub>T</sub>** = **0.101 m<sup>2</sup>K/W**



**WOOD**flor **182** | **OAK** | Rustikal | Natura  
NOVO**LOC**® 5G





# WOODflor 3-LAYER PARQUET NOVOLoc® 5G

## Surface finish:

SEDA or TENSEO

Approx. 3.6 mm wear layer from  
selected solid wood

Core layer of quarter-sawn  
European softwood –  
with small gap  
between elements

2 mm spruce bottom  
veneer sanded

Plywood inserts at both ends  
(water-resistant) with integrated locking tongue

Ends with hydrophobic impregnation

WOODflor



28



NOVOLoc®

with the proven  
5G interlocking system  
on the front side

## PRODUCT HIGHLIGHTS

- + NOVOLoc® 5G interlocking system
  - + 3.6 mm solid wear layer
  - + Front edge impregnated
  - + Suitable for underfloor heating
  - + Glue-down installation
  - + Floating installation
- + **1-strip**  
14 x 140 x 2200  
14 x 182 x 2200  
14 x 222 x 2200
  - + **3-strip**  
14 x 182 x 2200



**WOOD**flor 222 | **OAK** | Country | Akzent  
NOVO**LOC**® 5G

# OVERVIEW.

NOVO**LOC**® 5G –  
the proven installation  
system for  
**WOOD**flor.

Due to its construction, the 3-layer / multilayer parquet **WOOD**flor NOVO**LOC**® 5G has a high warp resistance and therefore can be installed on an appropriate underlay as well as glued down on a screed or wooden composite subfloor. With the reliable NOVO**LOC**® 5G interlocking system planks are simply locked together, aligning themselves automatically click by click.



NOVO**LOC**®



RE**LOC**

RE**LOC** –  
element for  
**WOOD**flor  
NOVO**LOC**® 5G.

RE**LOC** for **WOOD**flor NOVO**LOC**® 5G - is a specially designed model to change the direction of installation. By using RE**LOC** you can comfortably change the direction of installation on fully glued down parquet floors, which in turn enables an easy installation throughout several rooms without any transition gaps and therefore significantly improves your productivity. Available on special order for all articles of **WOOD**flor NOVO**LOC**® 5G.



# WOOD



**OAK Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		•



**OAK Natur Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Natur Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



**OAK Natur Silva**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Knotty Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		•



**OAK Knotty Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Knotty Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Knotty Akzent**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Country Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		•



OAK Country Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		




OAK Country Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Country Akzent

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK smoked Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OAK Steamed Coupal Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



BLACK WALNUT Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



# WOOD

flor 182 1-strip



**OAK Select Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



**OAK Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel	•		
Valletta	•		•
Valsega	•		
Toscana			



**OAK Natur Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		•
Valsega			
Toscana			



**OAK Natur Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		•
Valsega	•		
Toscana			



**OAK Natur Silva**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



**OAK Knotty Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel	•		
Valletta	•		•
Valsega	•		
Toscana			



**OAK Knotty Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		•
Valsega			
Toscana			



**OAK Knotty Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		•
Valsega	•		
Toscana			



**OAK Knotty Silva**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Valsega			
Toscana			





**OAK Knotty Akzent**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



**OAK Country Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel	•		
Valletta	•		•
Valsega	•		
Toscana	•		



**OAK Country Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		•
Valsega	•		
Toscana	•		



**OAK Country Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		•
Valsega	•		
Toscana			



**OAK Country Silva**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



**OAK Country Akzent**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Valsega			
Toscana	•		



**OAK Palermo Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		
Valsega	•		
Toscana			



**OAK Markant Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



**OAK Palermo Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Valsega			
Toscana			

# WOOD



**OAK Rustikal Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



**OAK Rustikal Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			
Valsega			
Toscana			



**OAK Rustikal Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



**OAK Smoked Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



**OAK Smoked Natur Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



**OAK Smoked Effect Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



**OAK Smoked Medium Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



**OAK Smoked Medium Natur Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



**OAK Smoked Medium Rustikal Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



**OAK Smoked Medium Rustikal Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



**OAK Steamed Coupal Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Valsega			
Toscana	•		



**OLD OAK Country Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



**OLD OAK Country Jura**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



**BLACK WALNUT Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			
Valsega			
Toscana			



**BLACK WALNUT Natur Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			
Valsega			
Toscana			



**BLACK WALNUT Natur Silva**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			
Valsega			
Toscana			



**BLACK WALNUT Country Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			
Valsega			
Toscana			



**BLACK WALNUT Effect Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			
Valsega			
Toscana			



# WOOD



**HARD MAPLE Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			
Valsega			
Toscana			



**HARD MAPLE Rustikal Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			
Valsega			
Toscana			



**ASH Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



**ASH Natur Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



**ASH Natur Silva**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



**ASH Heartwood Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



**ASH Heartwood Natur Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



**ASH Heartwood Natur Silva**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Valsega			
Toscana			



**BEECH Steamed Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			
Valsega			
Toscana			

# WOODflor 182 1-strip



**BEECH Steamed Rustikal Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			
Valsega			
Toscana			



**BLACK CHERRY Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			
Valsega			
Toscana			



**BLACK CHERRY Rustikal Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			
Valsega			
Toscana			



**IROKO (KAMBALA)**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			
Valsega			
Toscana			



**MERBAU**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			
Valsega			
Toscana			



# WOOD



**OAK Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta	•		•



**OAK Natur Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		•



**OAK Natur Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		•



**OAK Natur Silva**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Knotty Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta	•		•



**OAK Knotty Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		•



**OAK Knotty Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		•



**OAK Knotty Silva**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Knotty Akzent**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		





**OAK Country Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		•



**OAK Country Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		•



**OAK Country Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		•



**OAK Country Silva**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Country Akzent**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Steamed Coupal Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Smoked Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta	•		



**OAK Smoked Natur Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



**OAK Smoked Medium Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta	•		

# WOODflor 140 1-strip



OAK Smoked Medium Natur Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OLD OAK Country Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



OLD OAK Country Jura

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



BLACK WALNUT Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			







# WOOD

flor 182 3-strip



**OAK Select Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



**OAK Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



**OAK Natur Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



**OAK Natur Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



**OAK Natur Silva**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



**OAK Classic Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



**OAK Classic Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



**OAK Classic Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



**OAK Knotty Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta	•		•

# WOODflor 182 3-strip



**OAK Knotty Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



**OAK Knotty Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		•



**OAK Country Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta	•		•



**OAK Country Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta			



**OAK Country Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		•



**OAK Smoked Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**OAK Smoked Struktur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**OAK Smoked Medium Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**OAK Smoked Medium Struktur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			

# WOODflor 182 3-strip



**BLACK WALNUT Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**BLACK WALNUT Effect Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**BLACK WALNUT Struktur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**HARD MAPLE Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



**HARD MAPLE Struktur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**ASH Select Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded		•	
4-sided bevel			
Valletta			



**ASH Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**ASH Classic Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded		•	
4-sided bevel			
Valletta			



**ASH Struktur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			





**BEECH Steamed Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



**BEECH Steamed Struktur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**CHERRY European Steamed Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**CHERRY European Steamed Struktur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**IROKO (KAMBALA)**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**MERBAU**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**RED OAK Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



**RED OAK Struktur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



MORE VARIATION.  
MORE STYLES.

**MULTI**flor  
NOVO**LOC**® 5G



# STRONG TYPES.

Decisions abound in the spectrum.  
Lively selection. Reassuring variety.  
Fine 1-strips. 3-strip classics. Chevron flooring.  
Typical for every type. Typical for Scheucher.



**MULTIfloor NOVOLOC® 5G 2400** | 9.8 x 222 x 2400 mm | 6 pieces/pack = 3.197 m<sup>2</sup>, 40 packs/pallet = 127.880 m<sup>2</sup>

Suitable for underfloor heating. **R<sub>T</sub> = 0.058 m<sup>2</sup>K/W**



**MULTIfloor NOVOLOC® 5G 2200** | 9.8 x 182 x 2200 mm | 6 pieces/pack = 2.403 m<sup>2</sup>, 50 packs/pallet = 120.150 m<sup>2</sup>

Suitable for underfloor heating. **R<sub>T</sub> = 0.058 m<sup>2</sup>K/W**



**MULTIfloor NOVOLOC® 5G 1800** | 9.8 x 140 x 1800 mm | 10 pieces/pack = 2.520 m<sup>2</sup>, 49 packs/pallet = 123.480 m<sup>2</sup>


Suitable for underfloor heating. **R<sub>T</sub> = 0.058 m<sup>2</sup>K/W**



**MULTIfloor NOVOLOC® 5G 1200** | 9.8 x 140 x 1200 mm

10 pieces/pack = 1.680 m<sup>2</sup>, 49 packs/pallet = 82.320 m<sup>2</sup>


Suitable for underfloor heating. **R<sub>T</sub> = 0.058 m<sup>2</sup>K/W**



**MULTIfloor NOVOLOC® 5G 2200 3-strip** | 9.8 x 182 x 2200 mm

6 pieces/pack = 2.403 m<sup>2</sup>, 50 packs/pallet = 120.150 m<sup>2</sup>

Suitable for underfloor heating. **R<sub>T</sub> = 0.058 m<sup>2</sup>K/W**




**MULTIfloor 500 60° CHEVRON FLOORING**

9.8 x 140 x 500 mm | 60° A-strips and B-strips separately

14 strips/pack = 0.980 m<sup>2</sup>, 84 packs/pallet=82.320 m<sup>2</sup>

A-strips and B-strips separately. **R<sub>T</sub> = 0.058 m<sup>2</sup>K/W**



**MULTIfloor 740 45° CHEVRON FLOORING**

9.8 x 140 x 740 mm | 45° A-strips and B-strips separately

14 strips/pack = 1.450 m<sup>2</sup>, 42 packs/pallet=60.917 m<sup>2</sup>

A-strips and B-strips separately. **R<sub>T</sub> = 0.058 m<sup>2</sup>K/W**

Products of ELEVATION **MULTIfloor NOVOLOC® 5G 1200, 1800**, as well as 500 60° and 740 45° are manufactured in a calm and natural grading.



# MULTIflor 2-LAYER PARQUET NOVOLOC® 5G

## Surface finish:

SEDA or TENSEO

## Approx. 3.6 mm wear layer

from selected solid wood, can be renovated several times

## Approx. 6.2 mm base layer:

Plywood birch, 5-ply  
water resistant glue

**Total thickness 9.8 mm**

**Low installation height** for an excellent  
junction to other floor types

**Ideally suited for underfloor heating,**  
thermal insulation resistance 0.058 m<sup>2</sup>K/W

**Glue-down installation**

**Ends** with hydrophobic  
impregnation, prevents humidity and  
reduces creaking of wood



NOVOLOC®

**Easy, reliable, rapid & clean**  
– 5G interlocking system  
on the front side

## PRODUCT HIGHLIGHTS

- + NOVOLOC® 5G interlocking system
- + Chevron flooring in NOVOLOC® 5G click system
- + 3.6 mm solid wear layer
- + Front edge impregnated
- + Only 9.8 mm installation height
- + Chevron flooring 45° and 60°
- + Laying pattern variants
- + Perfect for underfloor heating
- + Special theme **Chevron flooring** 740 45° and 500 with 60° 2-layer parquet
- + 5 different dimensions **floor board length** 1200 / 1800 / 2200 / 2400 / 2200 3-strip





**MULTI**flor **1800** | **OAK** | Knotty | Akzent  
**NOVOLOC**® 5G

# OVERVIEW.

Colourful variation inspires the imagination.  
Intelligent technology allows more scope for new ideas.  
Installation newly interpreted. Selection newly defined.

**MULTI**flor **NOVOLOC**® 5G is a new, diverse range of 2-layer parquet creations, which, alongside single planks and three-strip parquet, includes the exclusive „Chevron flooring“, which now can be installed using **NOVOLOC**® 5G interlocking system. The true innovative power of **MULTI**flor lies, however, in its „subsurface“: thanks to its completely unique structure, an unprecedentedly low construction height can be achieved without having to compromise on the wear layer.



**NOVOLOC**®




MULTIfloor 740 45° | OAK | Country | Perla  
NOVOLOC® 5G



52

# LAYING PATTERN.

Emotions are visualised in lively patterns. Patterns make life colourful and substantial. They are linear and at the same time playful. Dignified and progressive. Unusual and well known. Don't be laid low.



CHEVRON FLOORING

**MULTIfloor NOVOLOC® 5G 500 | 60°**




CHEVRON FLOORING

**MULTIfloor NOVOLOC® 5G 740 | 45°**



HERRINGBONE HORIZONTALLY INSTALLED

**MULTIfloor NOVOLOC® 5G 740 | 45°, 500 | 60°**



BRICK PATTERN only A-strips and B-strips

**MULTIfloor NOVOLOC® 5G 740 | 45°, 500 | 60°**



PARALELL PATTERN only A-strips and B-strips

**MULTIfloor NOVOLOC® 5G 740 | 45°, 500 | 60°**



**OAK Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		



**OAK Natur Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta	•		



**OAK Natur Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta	•		



**OAK Country Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



**OAK Country Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



**OAK Country Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



**OAK Smoked Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



**OAK Smoked Natur Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**BLACK WALNUT Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta			



# MULTIfloor 500 60°



## OAK Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		



## OAK Natur Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta	•		



## OAK Smoked Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



## BLACK WALNUT Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta			





# MULTI

## flor 2400 1-strip



### OAK Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		
Toscana			



### OAK Natur Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Toscana			



### OAK Natur Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Toscana			



### OAK Knotty Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		
Toscana			



### OAK Knotty Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Toscana			



### OAK Knotty Bianca

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Toscana			



### OAK Knotty Akzent

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Toscana			



### OAK Country Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		
Toscana	•		



### OAK Country Perla

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Toscana	•		





**OAK Country Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Toscana			



**OAK Knotty Akzent**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		
Toscana	•		



# MULTIflor 2200 1-strip



**OAK Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel	•		
Valletta	•		



**OAK Natur Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta	•		



**OAK Natur Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta	•		



**OAK Natur Akzent**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Knotty Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



**OAK Knotty Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Knotty Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Knotty Akzent**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Country Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel	•		
Valletta	•		

# MULTIflor 2200 1-strip



**OAK Country Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



**OAK Country Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



**OAK Country Akzent**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Steamed Coupal Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Smoked Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



**OAK Smoked Natur Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**BLACK WALNUR Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



**ASH Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



**ASH Heartwood Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



# MULTIflor 1800 1-strip



**OAK Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		



**OAK Natur Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta	•		



**OAK Natur Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta	•		



**OAK Knotty Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



**OAK Knotty Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



**OAK Knotty Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



**OAK Knotty Akzent**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Country Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



**OAK Country Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		

# MULTIfloor 1800 1-strip



**OAK Country Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



**OAK Country Akzent**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Steamed Coupal Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Smoked Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



**OAK Smoked Natur Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**BLACK WALNUR Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta			

MULTIfloor 1800 1-strip



61



# MULTIflor 1200 1-strip



**OAK Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		



**OAK Natur Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta	•		



**OAK Knotty Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



**OAK Knotty Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



**OAK Knotty Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



**OAK Knotty Akzent**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Country Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



**OAK Country Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Country Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



# MULTIfloor 1200 1-strip



**OAK Country Akzent**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Steamed Coupal Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Smoked Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta	•		



**BLACK WALNUT Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta			

MULTIfloor 1200 1-strip



# MULTIflor 2200 3-strip



**OAK Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**OAK Natur Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



**OAK Classic Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**OAK Classic Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta			



**OAK Knotty Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		•



**OAK Knotty Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		•



**OAK Country Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta	•		•



**OAK Country Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		•



**ASH Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			

# MULTIfloor 2200 3-strip



## BEECH Steamed Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded		•	
4-sided bevel			
Valletta			







MORE CLASSICS.  
MORE FLAIR.

**MULTI**flor  
TONGUE + GROOVE

# MULTIfloor 2-LAYER-PARQUET TONGUE + GROOVE



**MULTIfloor 700 TONGUE+ GROOVE** | 9.8 x 140 x 700 mm  
14 pieces/pack = 1.372 m<sup>2</sup>, 42 packs/pallet = 57.624 m<sup>2</sup>  
Suitable for underfloor heating. **R<sub>T</sub> = 0,058 m<sup>2</sup>K/W**



glue-down  
installation

## Surface finish:

SEDA or TENSEO

**Approx. 3.6 mm wear layer**  
from selected solid wood

**Ends**  
with hydrophobic impregnation

**Approx. 6.2 mm base layer:**  
Plywood birch, 5-ply water resistant glue

## PRODUCT HIGHLIGHTS

- + New dimension and installation patterns, such as large-size herringbone and mosaic parquet
- + Approx. 3.6 mm wear layer
- + Total thickness 9.8 mm:  
Low installation height for an excellent junction to other floor types
- + Ideally suited for underfloor heating

New dimension.  
Countless possibilities.  
Fast and easy to lay.

With **MULTIfloor Tongue and Groove** you can give now an even more individual touch to your living space: The **2-layer parquet** convinces with its classic, timeless patterns as well as its low construction height and is moreover ideally suited for underfloor heating.

EDGING FRIEZES **MULTIfloor NOVOLOC® 5G 2200** see page 58  
**MULTIfloor GROOVE CUTTER** see page 94



# LAYING PATTERN.

INSTALLATION PATTERN:  
**CUBE**



INSTALLATION PATTERN:  
**HERRINGBONE**



INSTALLATION PATTERN:  
**PARALLEL**



INSTALLATION PATTERN:  
**LADDER**



# MULTIflor 700 T + G



**OAK Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		



**OAK Natur Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta			



**OAK Natur Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Natur Akzent**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Smoked Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



**BLACK WALNUT Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			







# MULTIflor 700 T + G



**OAK Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta	•		



**OAK Natur Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta			



**OAK Natur Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Natur Akzent**

	Seda	Tenseo Classico	Tenseo Matt
sanded			
4-sided bevel			
Valletta	•		



**OAK Smoked Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



**BLACK WALNUT Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			









LESS IS  
MORE FLO\_R.

**BILA**flor®

# BILAflor® 2-LAYER PARQUET

## Surface finish:

SEDA or TENSEO

## Approx. 3.6 mm wear layer

from selected solid wood

## Base layer of

quarter-sawn spruce,

incisions at regular intervals

## High-quality glue down

installation on screed and on  
wooden composite subfloor

## Ideally suited for underfloor heating

thermal insulation resistance:

$R_T = 0,078 \text{ m}^2\text{K/W}$

## A finished surface refinement

avoids pulling down joints

## Plywood inserts

at both ends (water-resistant)

## PRODUCT HIGHLIGHTS

- + Glue down installation
- + 3.6 mm solid wear layer
- + impregnated front edge
- + perfect for underfloor heating

- + **1-strip**
  - 11 x 90 x 1000
  - 11 x 70 x 500
  - 13 x 70 x 500

- + **2-strip**
  - 11 x 120 x 1200



Glue down  
installation



BILAflor® 1000 | ASH | Natur | Natura

# OVERVIEW.

Parquet that brings your house to life.  
Different lengths and variations make the range  
a favourite when it comes to stylish design.

The high-quality 2-layer parquet **BILAflor®** combines all advantages of glue-down parquet with those of engineered parquet. The bottom layer made of rift-grained spruce and plywood bands on the front edges ensure a stable connection construction.




# LAYING. PATTERN.



CHEVRON FLOORING\*

**BILA**flor® 500 | 1000




DOUBLE CHEVRON FLOORING\*

**BILA**flor® 500 | 1000




TRIPLE CHEVRON FLOORING\*

**BILA**flor® 500 | 1000



IRREGULAR PATTERN

for all **BILA**flor® products



BRICK PATTERN

for all **BILA**flor® products

\*all **BILA**flor® products can be mixed

## STRONG TYPES.



**BILA**flor® 1200 2-strip | 11 x 120 x 1200 mm | 12 pieces/pack = 1.728 m<sup>2</sup>, 63 packs/pallet = 108.860 m<sup>2</sup>

Suitable for underfloor heating. **R<sub>T</sub>** = **0.078 m<sup>2</sup>K/W**, left and right strips are available on request (chevron flooring).

**BILA**flor® 28 1200 2-strip | 9,5 x 120 x 1200 mm | 14 pieces/pack = 2.016 m<sup>2</sup>, 45 packs/pallet = 90.720 m<sup>2</sup>

Suitable for underfloor heating. **R<sub>T</sub>** = **0.078 m<sup>2</sup>K/W**



**BILA**flor® 1000 1-strip | 11 x 90 x 1000 mm | 24 pieces/pack = 2.160 m<sup>2</sup>, 42 packs/pallet = 90.720 m<sup>2</sup>

Suitable for underfloor heating. **R<sub>T</sub>** = **0,078 m<sup>2</sup>K/W**, left and right strips are available on request (chevron flooring).



**BILA**flor® 500 – **BILA**flor® 500 5.5 – **BILA**flor® 500 TOPline wide lamella

Mixed package with left and right strips (chevron flooring).

**BILA**flor® 500 5.5 | 13 x 70 x 500 mm | 40 pieces/pack = 1.400 m<sup>2</sup>, 49 packs/pallet = 68.600 m<sup>2</sup>

Suitable for underfloor heating. **R<sub>T</sub>** = **0.087 m<sup>2</sup>K/W**

**BILA**flor® 500 | 11 x 70 x 500 mm | 48 pieces/pack = 1.680 m<sup>2</sup>, 49 packs/pallet = 82.320 m<sup>2</sup>

Suitable for underfloor heating. **R<sub>T</sub>** = **0.078 m<sup>2</sup>K/W**





# BILAflor® 1000



**OAK Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



**OAK Natur Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta			



**OAK Natur Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta			



**OAK Knotty Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**OAK Knotty Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



**OAK Knotty Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



**OAK Knotty Silva**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**OAK Rustikal Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**OAK Smoked Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			





**OAK Smoked Medium Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**BLACK WALNUT Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



**BLACK WALNUT Struktur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**ASH Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**ASH Heartwood Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			





**OAK Select Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



**OAK Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



**OAK Natur Natura 5.5**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**OAK Natur Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**OAK Natur Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



**OAK Natur Silva**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



**OAK Classic Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



**OAK Classic Natura 5.5**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**OAK Classic Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



**OAK Classic Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



**OAK Classic Silva**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		
4-sided bevel			
Valletta			



**OAK Knotty Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



**OAK Knotty Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**OAK Knotty Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**OAK Country Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



**OAK Country Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**OAK Country Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•		•
4-sided bevel			
Valletta			



**OAK Struktur Natura 5.5**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			





**OAK TOPline BL Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**OAK Smoked Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



**OAK Smoked Medium Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



**BLACK WALNUT Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



**BLACK WALNUT Struktur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**HARD MAPLE Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**HARD MAPLE Struktur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**ASH Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



**ASH Classic Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



ASH Struktur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



BEECH Steamed Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



BEECH Steamed Struktur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



CHERRY European Steamed Natur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



CHERRY European Steamed Struktur Natura

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



IROKO (KAMBALA)

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			



MERBAU

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	
4-sided bevel			
Valletta			

# BILAFloor® 1200 2-strip



**OAK Natur Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



**OAK Classic Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



**OAK Classic Perla**

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta			



**OAK Classic Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta			



**OAK Country Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded	•	•	•
4-sided bevel			
Valletta			



**OAK Country Bianca**

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta			





**OAK Classic Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta			

**OAK Country Natura**

	Seda	Tenseo Classico	Tenseo Matt
sanded			•
4-sided bevel			
Valletta			





## SPORTS HALL FLOOR Easyfit



- Only 3 different elements guarantee a fast and easy installation
- Excellent results at the tests of the Austrian Institute for Sports Technologies: EN 14904 : 2006 and DIN 18032-2, a standard with one of the highest requirements in Europe
- 3-layer **WOOD**flor 182 3-Strip **NOVOLOC**® or 2-Strip **BILA**flor® 1200 with 7-layer sealing **TENSEO** Classico
- Construction for excellent sound behavior
- Very low construction height – ideal for retrofit installation
- Very good sliding behavior without any additional surface treatment on-site
- Robust, environmentally friendly and easy to maintain

# SPORTS HALL FLOORS.



- Fast and simple installation due to low number of different parts and a high degree of pre-fabrication
- Excellent results according to the Austrian Institute for Sports Technologies (OFI): EN 14904 : 2006 and ÖISS ÖNORM B 2608 04/2006: a standard with the highest requirements in Europe
- Robust and durable, environmentally friendly and easy to maintain
- 2-Strip **BILA**flor® 500 - 5.5 with 5.5 mm top layer and 7-layer sealing
- Variable height of construction
- Extremely solid construction due to very short distances between supports
- Very good sliding behavior without additional surface treatment on site

SPORTS HALL  
FLOOR  
Olympic





## INITIAL TREATMENT

Initial care treatment has to be carried out by a professional with Scheucher care wax oil. Contact your installer - we are sure he will be pleased to assist you in this. To keep your Scheucher Parkett® wood floor at its best, we suggest an initial care treatment with care wax oil after installation of the floor. Products of our **BILA**flor® and **MULTI**flor Chevron flooring require an initial care treatment.



1l Parquet Care,  
1l Parquet Cleaner,  
Mop cover,  
Care instructions



A specially developed range of cleaning and care products enhances the natural hues of my wooden floor. These care products protect and preserve the beautiful sheen and individual character of the wood.

## CARE

To keep your Scheucher Parkett® wood floor at its best we recommend using Scheucher Parkett Care after 15-20 wet cleaning cycles. You don't have to keep count of that because the bottle's capacity lasts for 17 fillings of the reservoir.



# CARE INSTRUCTIONS SEDA

- + Cordless design
- + Minimal water requirement
- + Simple cleaning and care
- + With built-in lighting



## CAREboy

Multifunctional, cordless waxer and cleaner for comfortable and efficient cleaning and care of your oiled/waxed flooring.


## TIP

To preserve the beautiful look of your parquet floor and protect its surface please avoid mechanical damages wherever possible. To avoid scratches and serious damages it is recommended to place mats in the entrance area and remove sand and grit with a broom immediately. Equip your movable furniture with felt gliders and use special rolls for wooden floors on office chairs. Do not leave any wet items on your parquet floor. To assess results properly, try out care and/or cleaning procedures in an inconspicuous place before applying the product.

## CLEANING

It is usually sufficient to clean your floor using a vacuum cleaner or a soft broom. Damp cleaning with Scheucher Parquet Cleaner can be carried out if required.

If you require more detailed information, please refer to the Scheucher care instructions.





# CARE INSTRUCTIONS FOR PROFESSIONALS SEDA

## INITIAL TREATMENT

To keep your Scheucher Parkett® wood floor at its best, we suggest an initial care treatment with care wax oil after installation of the floor. Products of our **BILA**flor® and **MULTI**flor Chevron flooring range require an initial care treatment. This is the only way to make sure that the edges and joints of your floor are protected against the penetration of humidity and dirt. Especially moisture-sensitive wood species like Beech and Maple require this treatment.



## CLEANING

It is usually sufficient to clean your floor using a vacuum cleaner or a soft broom. Damp cleaning with parquet floor soap can be carried out if required.



## INTENSIVE CLEANING

In case your Scheucher Parkett® wood floor is extremely dirty we suggest to clean it with our intensive-cleaner.





# CARE INSTRUCTIONS TENSEO



## INITIAL TREATMENT & REFRESHING

Keeping your Scheucher Parkett® wood floor at its best, we suggest an initial treatment after the floor has been laid. This way you can make sure that the edges and joints of your floor are protected against the penetration of humidity and dirt. Especially moisture-sensitive wood species like Beech and Maple ask for this treatment. Products of our **BILA**flor® and **Multi**flor Chevron flooring require an initial care treatment. Use Bona Refresher for the initial treatment for Tenseo Classico, for Tenseo Matt you should use Bona Polish Matt and for Tenseo glossy Bona Polish Gloss.



## CARE & MAINTENANCE

It is usually sufficient to clean your floor using a vacuum cleaner or a soft broom. Light soiling can be comfortably removed with Bona Spray Mop.

### BONA SPRAY MOP

The Bona Spray Mop enables you to clean and maintain your wooden floor in a sweep. Ergonomic and simple to use, the Spray Mop is quick to assemble and refill with the specially developed Bona floor cleaner cartridge. Forget filling up a bucket and adding concentrate - just spray and clean! No polishing required.



### BONA CLEANER

is a concentrated cleaning agent. Use 50 ml (5 capfuls) of the concentrate with 10 liters of water. For particularly dirty floors you can use 100 ml of the concentrate with 10 liters of water. In case large areas have to be cleaned, Bona Cleaner can also be used for cleaning machines. Be careful and do not use too much water since this could result in damaging your parquet floor.



## BASIC CLEANING

Fernox removes wax and polish residues as well as heavy soiling and footmarks made with rubber heels.



# INSTALLATION ACCESSORIES & MEASURING INSTRUMENTS



Fidbox can be integrated in the Scheucher parquet floor and measures the temperature and moisture. Fixbox App is available for Apple iOS and Android.



With Fidbox V6 Reader you can read and analyze the saved data anytime by radio system.



**MULTIfloor** groove cutter



**MULTIfloor** installation aid






NOVOLOC®

5G unlocking spring for  
**WOOD**floor and  
**MULTI**floor

# ACCESSORIES

## SKIRTINGS


For the full effect, every parquet floor needs a clean connection to the walls or similar structures. For this purpose, Scheucher stocks a wide, perfectly-fitting range of skirting boards that can be harmoniously tailored to the parquet installed.



## STAIR NOSINGS

ALL  
WOOD TYPES

Stair nosings are available in L- or U-shape for all our products.



L-shape NOVOLOC®\*



U-shape NOVOLOC®\*

\*also available for **MULTI**flor and **BILA**flor®





# STAIRbox stair treads



**STAIR**box is a system, that simply enables the digital measurement of stairs and staircases as well as – in addition – the direct purchase of parquet elements ready for assembly from Scheucher (data transfer ex site) . This is how the service spectrum of every floorer experiences a great expansion and customers get their floor and stairs from professional hands.

## STAIR TREADS

**STAIR**box makes it possible to create all types of stair treads quickly and easily – irrespective of the basic form or configuration – with the same appearance as the parquet.

ALL  
WOOD TYPES

## FASCIA BOARDS

What is more, fascia boards that are identical to the installed parquet and blend harmoniously into the overall view are no longer a problem, thanks to **STAIR**box.

ALL  
WOOD TYPES

WHITE  
FINISHING  
COAT

WHITE-PAINTED  
MDF




The professional system for a greater added value. Measure stairs simply digitally. Without stencils. Simple data transfer from job site directly to Scheucher.

# STAIR BOX.



# ROOM CLIMATE

This „feel comfortable“ chart for indoor room climate demonstrates the combination of relative humidity and room temperature where the overwhelming majority feels comfortable in indoor rooms.



EN 15251:2012 „Input parameters for indoor climate“ recommends a seasonally caused relative humidity of approx. 30 % to 65 % for a healthy room climate. In this range, natural characteristics of wood like gaps, minor cracks or warpage of your parquet floor may occur in a moderate degree. In case of long-term deviations, health impairments or excessive changes in the appearance of your hardwood floor, like big deformations, big gaps and cracks may occur. Wood as a natural material reacts more sensitively to changes of the relative humidity than to changes of temperature.

**Therefore the key to success lies in the observance of an optimum relative humidity of your indoor air!** This generally requires periodic cleaning and maintenance of your parquet floor as well as an appropriate air humidification in the heating season.

We therefor recommend cold humidifiers with an integrated sterilization system.

The installation of Fidbox records your climate above and under your parquet floor over many years and can be conveniently monitored by mobile app. Paying attention to these important factors will guarantee pleasure over decades with your high-quality parquet floor from Scheucher.





#### Imprint

© 2019: Scheucher Holzindustrie GmbH; Publisher: Scheucher Holzindustrie GmbH; Idea, concept and creative design: Scheucher Holzindustrie GmbH  
Print: kb-offset Kroiss & Bichler GmbH & CoKG; Image sources: Archiv Scheucher Holzindustrie GmbH, Gruber + Schlager GmbH. Copying or saving this magazine, or parts thereof, is not permitted without written consent. Existing rights have been clarified to the best of our knowledge; where claims to rights exist, we ask that the holder of the rights contacts us. No responsibility is assumed for the consequences of use or misuse of the information contained herein. Printing and typesetting errors reserved.



## Parquet from Scheucher is QUALITY

Highest precision in production guarantees the unique quality of every single parquet from Scheucher. True to the principles of Scheucher Holzindustrie GmbH, every single stage of the manufacturing process is geared towards using our natural resources in the most sustainable ways and applying the highest standards of environmental protection. These principles enable the family-run company with a long tradition to create an excellent product of highest quality.



Scheucher supports sustainable construction via Environmental Product Declarations (EPDs). Our EPD is based on international standards (ISO 14025, ISO 14040ff) as well as the European DIN EN 15804, which provides the basis for EPD's throughout Europe. It is listed for the sustainability assessment of buildings at IBU - Institut Bauen und Umwelt e.V. Furthermore we meet the high demands of the American LEED v4 program. LEED (Leadership in Energy and Environmental Design) is globally recognized and the most widely used green building rating system in the world.



Environmental Product Declarations give the appropriate data basis to represent environmental attributes of a product for its whole lifecycle and include general product-, life cycle assessment- and additional information. Moreover, they are compiled on a basis of criteria, which among others are developed by independent third parties and which are additionally verified independently.



RealWood is the official seal of the European Parquet Association confirming the parquet is made from real wood and is no artificial replication.



CE-label confirms compliancy with European Standards and is obligatory when selling this product.



Scheucher Parquet floors fulfill the award criteria V1.0 of TÜV PROFICERT-product Interior Certification.



**SCHEUCHER®**



**MULTI**flor 2200 | **OAK** | Natur | Natura  
**NOVOLOC® 5G**

# RANGE GUIDE.

Discover the rich facets of parquet. Different specifications allow the creation of new optics and haptics. Live more colourfully. Live more individually.

**SELECT.** Haven of peace. Uniform and subtle in terms of colour and growth, this sort is a convincing choice. Small knot points are possible and enliven the overall look.

**NATUR. CLASSIC.** Pure nature. A natural growth in combination with natural colour variations and small, visible knots.

**KNOTTY.** Joie de vivre. Splinter free, natural, and thanks to the many visible knots, this sort ensures tangible joie de vivre.

**COUNTRY.\* RUSTIKAL. STRUKTUR. EFFECT.** Powerful moments. Vibrant, lively and powerful colour nuances, as well as possible knots create a new spirited feeling in the home.

## GRADES

SELECT  
NATUR  
CLASSIC  
KNOTTY  
COUNTRY\*  
RUSTIKAL  
STRUKTUR  
EFFECT

\* Available in 1-strip oak, sap free

## COLOURS



NATURA

PERLA

BIANCA

SILVA

JURA

AKZENT

## FINISH



SEDA natural matt, oiled and waxed



TENSEO CLASSICO satin glossy, sealed




TENSEO MATT natural matt, sealed


## STRUCTURE



VALLETTA brushed with 4-sided bevel



VALSEGA sawn and brushed with 4-sided bevel



TOSKANA scraped





**Scheucher Holzindustrie GmbH**

Zehensdorf 100 | 8092 Mettersdorf

**Showroom Vienna**

Zetschegasse 9 | 1230 Vienna

**[info@scheucherparkett.at](mailto:info@scheucherparkett.at)**

**[www.scheucherparkett.at](http://www.scheucherparkett.at)**